



Report Title

 (Arial 22pt Bold)

First Author, Second Author, and Third Author
(Arial 16pt)

Company Name (Arial 14pt Italic)

First Author, Second Author, and Third Author
(Arial 16pt)

Second Company Name (Arial 14pt Italic)

**NREL is a national laboratory of the U.S. Department of Energy
Office of Energy Efficiency & Renewable Energy
Operated by the Alliance for Sustainable Energy, LLC**

This report is available at no cost from the National Renewable Energy Laboratory (NREL) at www.nrel.gov/publications.

Technical Report (Arial 10 pt Bold)
NREL/TP-xxxx-xxxxx
Month Year (Arial 10 pt)

Contract No. DE-AC36-08GO28308



Report Title

First Author, Second Author, and Third Author

(Arial 16pt)

Company Name (Arial 14pt Italic)

First Author, Second Author, and Third Author

(Arial 16pt)

Second Company Name (Arial 14pt Italic)

Prepared under Task No(s). ABCD.1000, EFGH.2000

**NREL is a national laboratory of the U.S. Department of Energy
Office of Energy Efficiency & Renewable Energy
Operated by the Alliance for Sustainable Energy, LLC**

This report is available at no cost from the National Renewable Energy Laboratory (NREL) at www.nrel.gov/publications.

National Renewable Energy Laboratory
15013 Denver West Parkway
Golden, CO 80401
303-275-3000 • www.nrel.gov

Technical Report (Arial 10 pt Bold)

NREL/TP-xxxx-xxxxxx

Month Year (Arial 10 pt)

Contract No. DE-AC36-08GO28308

NOTICE

This report was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or any agency thereof.

This report is available at no cost from the National Renewable Energy Laboratory (NREL) at www.nrel.gov/publications.

Available electronically at SciTech Connect <http://www.osti.gov/scitech>

Available for a processing fee to U.S. Department of Energy and its contractors, in paper, from:

U.S. Department of Energy
Office of Scientific and Technical Information
P.O. Box 62
Oak Ridge, TN 37831-0062
OSTI <http://www.osti.gov>
Phone: 865.576.8401
Fax: 865.576.5728
Email: reports@osti.gov

Available for sale to the public, in paper, from:

U.S. Department of Commerce
National Technical Information Service
5301 Shawnee Road
Alexandria, VA 22312
NTIS <http://www.ntis.gov>
Phone: 800.553.6847 or 703.605.6000
Fax: 703.605.6900
Email: orders@ntis.gov

Foreword

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Curabitur non lacus. Vestibulum ante ante, consectetuer eget, volutpat quis, sollicitudin eu, ante. Fusce congue nisl ut lacus. Vestibulum congue dictum ipsum. Etiam pellentesque, velit eu pellentesque semper, massa mi viverra risus, et congue leo mi ac arcu. Vestibulum sapien sapien, cursus ac, pretium quis, varius eu, orci. In cursus felis at orci dignissim blandit. Fusce nibh dui, bibendum et, tristique sed, iaculis sit amet, risus.

Pellentesque auctor odio vitae quam condimentum imperdiet. Mauris lacus tellus, tincidunt quis, aliquet sed, viverra at, est. Donec imperdiet sapien vel ipsum tristique luctus. Sed tincidunt felis vel pede. Quisque pharetra. Vestibulum egestas, urna sit amet suscipit iaculis, lectus enim egestas sapien, nec aliquet est pede ut tortor. Curabitur ultricies mi at est. Cras placerat lobortis augue.

Preface

The *NREL Style Guide, Sixth Edition*, is an essential tool for preparing publications and websites at the National Renewable Energy Laboratory. It features formatting, spelling, punctuation, capitalization, grammar, and language guidelines for the laboratory's writers and editors.

This document is based on, and is a companion to, the style guide. It provides a visual example of NREL formatting styles described in the guide.

The majority of this document was created using the NREL report template. Styles applied from the template are indicated in blue text.

Acknowledgments

The NREL Editorial Board would like to acknowledge Paula Pitchford, who passionately contributed to the development of NREL editorial style for more than 20 years. Her editorial vision and legacy continue with the new edition of the *NREL Style Guide* and its companion pieces.

List of Acronyms

AOD	aerosol optical depth
ARM	Atmospheric Radiation Measurement
ASCII	American Standard Code for Information Interchange
ASOS	Automated Surface Observing System
BAOD	broadband aerosol optical depth
FSEC	Florida Solar Energy Center
DNI	direct normal irradiance
DQMS	Data Quality Management System
GHI	global horizontal irradiance
GMT	Greenwich Mean Time
GOES	Geostationary Operational Environmental Satellite
ISH	Integrated Surface Hourly I
SIS	Integrated Surface Irradiance Study
MBE	mean bias error
METSTAT	Meteorological-Statistical (solar model)
MISR	Multi-Angle Imaging SpectroRadiometer
MMDT	monthly mean daily total
MODIS	Moderate Resolution Imaging Spectroradiometer
NARR	North American Regional Reanalysis
NASA	National Aeronautic and Space Administration
NCDC	National Climatic Data Center
NN	NREL nomenclature
NOAA	National Oceanic and Atmospheric Administration
NREL	National Renewable Energy Laboratory
NSRDB	National Solar Radiation Database
NVAP	NASA Water Vapor Project
NWS	National Weather Service
RMS	root mean square
RMSE	root mean square error
SAMSON	Solar and Meteorological Observing Network
SI	International System (of Units)
SOLRAD	Solar Radiation (network)
SUNY	State University of New York Albany
SURFRAD	Surface Radiation Budget Measurement
TOMS	Total Ozone Mapping Scanner
TZ	time zone
UO	University of Oregon Solar Radiation Monitoring Laboratory
USAF	United States Air Force
UT	University of Texas Solar Energy Laboratory
WBAN	Weather Bureau Army Navy

Executive Summary

Praesent quis risus ac lorem elementum varius. Curabitur convallis nibh. Sed neque leo, rutrum ut, sodales eget, bibendum vitae, odio. Vestibulum et diam a nunc dapibus iaculis. Integer vitae lacus. Quisque mattis egestas elit.

Nulla eros. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam lobortis. Nunc congue ipsum suscipit elit eleifend auctor. Etiam turpis. Aliquam purus. Aenean non augue. Maecenas quis pede vitae arcu rutrum elementum. Integer dui arcu, faucibus vel, bibendum sit amet, vestibulum eget, eros.



Figure i. The NREL Visitors Center offers group tours. Photo by David Parsons, NREL/PIX 05567

Cras felis dolor, pharetra accumsan, faucibus quis, pretium sed, enim. Donec eleifend urna vel massa. Pellentesque lorem mi, suscipit vitae, consequat id, eleifend viverra, quam. In ornare orci sit amet eros. Duis ac sem sed pede ultrices faucibus. Vestibulum sagittis est eu est. Proin non nulla. Sed vel pede. Aliquam neque ante, lobortis vel, pulvinar eget, posuere et, massa. Nulla facilisi. In hac habitasse platea dictumst. Curabitur accumsan sodales eros.

Table of Contents

First-Level Heading (NREL TOC 01)	1
Second-Level Heading (NREL TOC 02)	1
Third-Level Heading (NREL TOC 03)	1
Third-Level Heading	1
Second-Level Heading	2
First-Level Heading	3
Glossary	5
References	6
Bibliography	7
Appendix	8

List of Figures

Figure 1.	Figure caption. <i>Photo by David Parsons, NREL/PIX 05567</i>	1
Figure 2.	Through the Fuel Cell Technologies Program, NREL conducts R&D in hydrogen production and delivery. This crosscutting effort involves research in photovoltaics, bioenergy, transportation, wind, buildings, and basic sciences. <i>Photo by Jack Dempsey, NREL/PIX 14559</i>	3

List of Tables

Table 1.	This Is a Table Caption	2
Table 2.	Second Example Table.....	4

First-Level Heading

This is **NREL body text**. Nam nulla risus, ullamcorper semper, gravida non, varius in, dolor. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.

This is a **block quote**. Ut eleifend bibendum enim. Duis facilisis velit eu tortor.

Nam tellus mauris, cursus vel, luctus ac, fringilla ac, nunc.

Aenean in dui sit amet est interdum bibendum. Donec non felis.

Second-Level Heading

Maecenas lacus augue, interdum eget, ultrices luctus, porta vel, dui. **Author-date citations** are NREL's preferred reference style (Bird and Hulstrom 1981).



Figure 1. Figure caption. Photo by David Parsons, NREL/PIX 05567

Praesent dui. Proin suscipit porta justo. Nam mi turpis, aliquam sit amet, viverra at, mollis et, magna. Nam risus nulla, fermentum nec, feugiat non, elementum sit amet, pede.

Third-Level Heading

If all the items in a **bulleted list** are one line, the space after each item can be removed.

- Nunc justo. Nullam nulla.
- Nunc vestibulum, orci non hendrerit sagittis, quam quam sodales sem.
- Aliquam a orci.

Third-Level Heading

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Aenean egestas mi pellentesque sem. Fusce ut neque ac nulla fermentum ullamcorper. Suspendisse sagittis dignissim turpis. In pretium tincidunt augue. Nam sed est. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Quisque tincidunt ante ac eros.

Table 1. This Is a Table Caption

Criteria	Description
Economic potential	Provides ongoing revenue, profit, and return on investment
Low technology risk	Does not take technology risks beyond products that are commercially available or otherwise guaranteed to perform at such a level ^a
Low marketing risk	Accommodates low threshold of adoption for members and is easy to understand and use (NREL Table Content)
Low development risk	Offers a short timetable from the development of an idea to the completion of a business plan to the successful implementation of a renewable energy initiative. ^b

^a First table note

^b Second table note

Second-Level Heading

Here is an example of a [multi-layered bulleted list](#):

- Curabitur sit amet ante etiam velit vestibulum viverra phasellus gravida aliquet diam eros at augue.
- Pellentesque neque est:
 - Blandit et, tincidunt non
 - Pulvinar sed, justo am libero eros, vestibulum in:
 - Ultricies quis
 - Est etiam odio lacus
 - Ddignissim nec
 - Lluctus nec
- A. Vehicula ac.
- Nam quam ligula, aliquet non, condimentum nec, posuere sit amet, diam.

Donec quis augue ut dolor vehicula dictum. Suspendisse potenti. Donec rhoncus vulputate sem. Proin semper nibh ac tortor. Ut non metus sed dui feugiat cursus. Donec cursus, leo in ultrices pellentesque, nulla risus rhoncus sapien, at dictum elit massa eget diam. Vestibulum mi urna, placerat quis, fringilla ac, vulputate at, magna. Nunc at ipsum. Nam ipsum odio, feugiat id, imperdiet id, eleifend ac, urna. Suspendisse faucibus, odio tristique elementum gravida, purus nisi imperdiet erat, et luctus quam augue ut mi.

First-Level Heading

Nullam placerat elementum ligula. Aliquam dui orci, condimentum sed, pretium a, malesuada non, metus. In eu ligula. Integer elit lacus, tempus nec, vehicula non, luctus vitae, purus. In hac habitasse platea dictumst.

Sed congue, urna sed iaculis vulputate, pede nulla pretium ipsum, quis elementum ligula ipsum at mauris. Vivamus et dolor eu erat vehicula dignissim. Donec congue sapien ac lectus. Fusce vitae ante sit amet felis malesuada tempor. Duis nunc ligula, congue sed, lobortis ac, tincidunt ac, dolor. Maecenas ligula.



Figure 2. Through the Fuel Cell Technologies Program, NREL conducts R&D in hydrogen production and delivery. This crosscutting effort involves research in photovoltaics, bioenergy, transportation, wind, buildings, and basic sciences. Photo by Jack Dempsey, NREL/PIX 14559

Quisque posuere commodo dui. Nulla feugiat massa. Duis vulputate, felis non iaculis ultrices, nisl pede mollis elit, et cursus neque justo sed dolor. Praesent id mauris. The next line is an example of NREL [equation](#) style.

$$E = mc^2$$

Quisque posuere commodo dui. Nulla feugiat massa. Duis vulputate, felis non iaculis ultrices, nisl pede mollis elit, et cursus neque justo sed dolor. Praesent id mauris. Integer elit lacus, tempus nec, vehicula non, luctus vitae, purus. In hac habitasse platea dictumst. Sed congue, urna sed iaculis vulputate, pede nulla pretium ipsum, quis elementum ligula ipsum at mauris.

Vivamus et dolor eu erat vehicula dignissim. Nullam placerat elementum ligula. Aliquam dui orci, condimentum sed, pretium a, malesuada non, metus. In eu ligula. Integer elit lacus, tempus nec, vehicula non, luctus vitae, purus.

Aliquam dui orci, condimentum sed, pretium a, malesuada non, metus. In eu ligula. Integer elit lacus, tempus nec, vehicula non, luctus vitae, purus. In hac habitasse platea dictumst. Sed congue, urna sed iaculis vulputate, pede nulla pretium ipsum, quis elementum ligula ipsum at mauris. Vivamus et dolor eu erat vehicula dignissim.

Nullam placerat elementum ligula. Aliquam dui orci, condimentum sed, pretium a, malesuada non, metus. In eu ligula. Integer elit lacus, tempus nec, vehicula non, luctus vitae, purus. In hac habitasse platea dictumst. Sed congue, urna sed iaculis vulputate, pede nulla pretium ipsum, quis elementum ligula ipsum at mauris. Vivamus et dolor eu erat vehicula dignissim.

Table 2. Second Example Table

Application	2009	2010	2011	2012	2013
Grid-Connected PV	0.5	0.2	0.6	0.4	0.4
Central Station PV	3.8	4.7	5.5	5.9	6.4
Consumer Products	0.5	0.6	0.8	2.5	2.2
Grid-Connected PV	0.5	0.2	0.6	0.4	0.4
Central Station PV	3.8	4.7	5.5	5.9	6.4
Consumer Products	0.5	0.6	0.8	2.5	2.2
Grid-Connected PV	0.5	0.2	0.6	0.4	0.4
Central Station PV	3.8	4.7	5.5	5.9	6.4
Consumer Products	0.5	0.6	0.8	2.5	2.2
Grid-Connected PV	0.5	0.2	0.6	0.4	0.4
Central Station PV	3.8	4.7	5.5	5.9	6.4
Consumer Products	0.5	0.6	0.8	2.5	2.2
Grid-Connected PV	0.5	0.2	0.6	0.4	0.4
Central Station PV	3.8	4.7	5.5	5.9	6.4
Consumer Products	0.5	0.6	0.8	2.5	2.2
Grid-Connected PV	0.5	0.2	0.6	0.4	0.4
Central Station PV	3.8	4.7	5.5	5.9	6.4
Consumer Products	0.5	0.6	0.8	2.5	2.2

Nullam placerat elementum ligula. Aliquam dui orci, condimentum sed, pretium a, malesuada non, metus. In eu ligula. Integer elit lacus, tempus nec, vehicula non, luctus vitae, purus. In hac habitasse platea dictumst. Sed congue, urna sed iaculis vulputate, pede nulla pretium ipsum, quis elementum ligula ipsum at mauris. Vivamus et dolor eu erat vehicula dignissim.

Nullam placerat elementum ligula. Aliquam dui orci, condimentum sed, pretium a, malesuada non, metus. In eu ligula. Integer elit lacus, tempus nec, vehicula non, luctus vitae, purus. In hac habitasse platea dictumst. Sed congue, urna sed iaculis vulputate, pede nulla pretium ipsum, quis elementum ligula ipsum at mauris. Vivamus et dolor eu erat vehicula dignissim. Nullam placerat elementum ligula. Aliquam dui orci, condimentum sed, pretium a, malesuada non, metus. In eu ligula. Integer elit lacus, tempus nec, vehicula non, luctus vitae, purus.

Glossary

Alternating current	A type of electrical current, the direction of which is reversed at regular intervals or cycles. In the United States, the standard is 120 reversals or 60 cycles per second. Electricity transmission networks use alternating current because voltage can be controlled with relative ease.
Battery	Two or more electrochemical cells enclosed in a container and electrically interconnected in an appropriate series/parallel arrangement to provide the required operating voltage and current levels. Under common usage, the “battery” also applies to a single cell if it constitutes the entire electrochemical storage system.
Charge factor	A number representing the time in hours during which a battery can be charged at a constant current without damage to the battery. Usually expressed in relation to the total battery capacity (i.e., C/5 indicates a charge factor of 5 hours). Related to charge rate.

References

- Augustyn, J.; Geer, T.; Kern, E.; Little, R.; Stoffel, T.; Vignola, F.; Kessler, R. (2002). "Improving the Accuracy of Low-Cost Measurement of Direct Normal Solar Irradiance." *Solar 2002 Proceedings*, Reno, Nevada. Boulder, CO: American Solar Energy Society, 2002.
- Bird, R.E.; Hulstrom, R.L. (1981). *A Simplified Clear Sky Model for Direct and Diffuse Insolation on Horizontal Surfaces*. SERI/TR-642-761. Golden, CO: Solar Energy Research Institute.
- Maxwell, E.L. (1998). "METSTAT – The Solar Radiation Model Used in the Production of the National Solar Radiation Database (NSRDB)." *Solar Energy*; 62(4); pp. 263–279.
- Myers, D., Wilcox, S.; Marion, W.; George, R.; Anderberg, M. (2005). "Broadband Model Performance for an Updated National Solar Radiation Database in the United States of America." *Solar World Congress Proceedings*, International Solar Energy Society, 2005.
- Myers, D.R.; Wilcox, S.; Marion, W.; Al-Abbad, N.; bin Mahfoodh, M.; Al-Otaibi, Z. (2002). *Final Report for Annex II – Assessment of Solar Radiation Resources in Saudi Arabia 1998–2000*. NREL/TP-560-31546. Golden CO: National Renewable Energy Laboratory, April 2002.
- Perez, R.; Ineichen, P.; Seals, R.; and Zelenka, A. (1990). "Making Full Use of the Clearness Index for Parameterizing Hourly Insolation Conditions." *Solar Energy*, vol. 45, No. 2, pp. 111–114.
- Perez, R.; Ineichen, P.; Moore, K.; Kmiecikm, M.; Chain, C.; George, R.; Vignola, F. (2002). "A New Operational Satellite-to-Irradiance Model." *Solar Energy*, 73 5, pp. 307–317.
- Rymes, M.; Myers, D. (2001). "Mean Preserving Algorithm for Smoothly Interpolating Averaged Data." *Solar Energy*, 71, 4, pp. 225–231.
- Wilcox, S.; Anderberg, M.; Beckman, W.; DeGaetano, A.; George, R.; Gueymard, C.; Marion, W.; Myers, D.; Perez, R.; Plantico, M.; Renne, D.; Stackhouse, P.; Vignola, F. (2004). "Progress on an Updated National Solar Radiation Database." *Solar 2004 Proceedings*. Portland, OR: American Solar Energy Society.

Bibliography

Belcher, B.N.; DeGaetano, A.T. (2004). *Integration of ASOS Weather Data into Building Energy Calculations with Emphasis on Model Derived Solar Radiation*. Ithaca, NY: Northeast Regional Climate Center, American Society of Heating, Refrigerating and Air-Conditioning Engineers 1226-RP, 2004.

Dickerson, R.R.; Posey, J. (1966). "Maps of Snow-Cover Probability for the Northern Hemisphere." *Monthly Weather Review*, June 1967, pp. 347–353.

Lott, N., Baldwin, R.; Jones, P. (2001). *The FCC Integrated Surface Hourly Database, A New Resource of Global Climate Data*. National Climatic Data Center technical report 2001-01. Asheville, NC: National Climatic Data Center.

NCDC (1991). *Surface Airways Hourly TD-3280 and Airways Solar Radiation TD-3281*. Asheville, NC: National Climatic Data Center.

Perez, R.; Bonaventura-Sparagna, J.; George, R. (2001). "Cloud Cover Reporting Bias at Major Airports." *2001 Annual Conference of the American Solar Energy Society*, American Solar Energy Society, 2001.

Wilcox, S.; Anderberg, M.; Beckman, W.; DeGaetano, A.; George, R.; Gueymard, C.; Marion, W.; Myers, D.; Perez, R.; Plantico, M.; Renne, D.; Stackhouse, P.; Vignola, F. (2005). "Progress on an Updated National Solar Radiation Database for the United States." *2005 Solar World Congress Proceedings*, Orlando, FL, International Solar Energy Society, 2005.

Appendix

Sed vulputate enim eu risus. Donec congue commodo nunc. Sed aliquet, sapien sed mollis luctus, ipsum massa suscipit leo, id aliquam arcu odio a justo. Sed sed massa ac lectus commodo dictum. Aliquam erat volutpat. Duis congue lorem elementum nisl. Nulla viverra. Nunc sapien. Cras id sem. Pellentesque in ipsum ac eros rhoncus condimentum.

Vivamus non nisl. In ultricies pede eget lorem. Aliquam eu nisl id nunc elementum feugiat. Suspendisse turpis. Etiam ut diam eu nulla sollicitudin ultrices. Nunc elementum. In hac habitasse platea dictumst. Cras massa dui, sagittis eu, dapibus vel, vestibulum imperdiet, elit. Pellentesque velit quam, auctor sed, vestibulum et, pharetra sodales, tellus. Maecenas ullamcorper, sem eget consequat pulvinar, metus metus commodo quam, sed adipiscing lectus ante nec nisl. Aliquam pharetra. Nulla orci. Sed volutpat. Etiam lacinia massa nec mi. Aliquam quam metus, lobortis eget, aliquet quis, condimentum eu, quam. In hac habitasse platea dictumst. Nulla posuere bibendum sapien. In hac habitasse platea dictumst. Sed viverra mauris eu enim.

Phasellus vestibulum, magna vel porta aliquam, turpis elit scelerisque nibh, sed nonummy mauris elit ac turpis. Quisque sed est ac sem facilisis fermentum. Proin vitae nunc in nibh faucibus eleifend. Aenean tristique pharetra lectus. Donec interdum pede sit amet mauris. Maecenas quis tellus. Nulla pharetra, risus id euismod varius, ligula tellus dignissim erat, ac vestibulum arcu leo vel lectus. Praesent enim ipsum, porttitor quis, sagittis at, malesuada eget, felis. Nullam dignissim luctus ante. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Sed leo. Ut sollicitudin. Nulla facilisi. Suspendisse eu elit. Sed et lacus quis dolor consectetur cursus.

Ut tincidunt dignissim enim. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Vivamus ornare. Praesent est. Nullam ac metus. Donec lacinia vestibulum arcu. Nullam sit amet nulla non purus pretium ultrices. Maecenas euismod, purus a adipiscing consequat, urna nisi elementum tellus, in mattis mi nibh sit amet nisl. Mauris eget odio. Etiam pellentesque ligula in erat. Integer facilisis semper est. Vivamus eleifend sagittis urna. Integer ut libero. Curabitur quis risus.

Sed fermentum, ipsum et egestas ornare, libero nibh laoreet justo, in commodo nunc urna a erat. Vivamus diam. Fusce enim ante, aliquet at, fermentum sit amet, vestibulum a, purus. Praesent sit amet sem id arcu ornare varius. Phasellus hendrerit rhoncus sapien. In id tellus. Vestibulum eget est quis sem auctor aliquam. Fusce sed dui. Vestibulum fringilla ultrices leo. Morbi turpis neque, lobortis ac, tempor sed, convallis et, est. In risus eros, eleifend ornare, aliquam sagittis, porta blandit, augue. Nulla blandit porta eros. Donec pellentesque. Proin sapien urna, tincidunt at, adipiscing in, volutpat sit amet, purus. Donec in eros rhoncus sapien tincidunt molestie.